

## EXPRESS LINES

The Express Line is the component that transfers the power from a distribution point to an access point. Heavy gauge 10 AWG copper wire construction allows for Express Lines to be run up to 150 ft from an electrical panel to a power distribution device. The Express Line is available in 3, 5 and 8 wire shared neutral 4/2/2 and 8 wire independent neutral 3/3/2 configurations.



Integrates with:



quadra  
NET



spider  
NET


# GENERAL SPECIFICATIONS

- Designed to distribute 4 circuits (4/2/2) or 3 circuits (3/3/2)
- 2 port device with both female ports
- (4/2/2) and (3/3/2) systems are keyed differently to prevent interconnecting of the different systems
- The Express Line receives circuits from the power distribution box and transfers them to any access point
- UL/CSA listed cable construction
- Up to eight 10 AWG copper wires
- Rated for 120V 20amp service
- Available in 5 ft increments up to 150 ft lengths as standard. Custom lengths available upon request
- Up to eight 10 AWG copper wires
- Enables modular connectivity of devices up to 150 ft from an electrical panel
- 3, 5, and 8 wire configurations available

## LISTINGS

- UL Std. 183
- CSA/NRTL

# CABLE DIMENSIONS & SPECIFICATIONS



## EXTENDER

4/2/2 System - 4 circuits

3/3/2 System - 3 circuits