

POWER WHIP CABLE

The Power Whip is a cable that converts any fixed in place device to a modular asset. A standard 12in pigtail ensures enough wire to connect to any power distribution device. A 1/2" connector with a locknut is supplied with every Power Whip to connect to a metallic outlet or junction box. The Power Whip is available in 3, 5 and 8 wire shared neutral 4/2/2 and 8 wire independent neutral 3/3/2 configurations.



Integrates with:



quadra
NET



spider
NET

GENERAL SPECIFICATIONS

- Designed to distribute 4 circuits (4/2/2) or 3 circuits (3/3/2)
- 1 port cable with hardwirable pigtail
- (4/2/2) and (3/3/2) systems are keyed differently to prevent interconnecting of the different systems
- The Power Whip receives circuits from the power distribution box and transfers them to any access point
- Extra flex conduit construction
- Rated for 120V 20amp service
- 14in standard length with 12in pigtail. Custom and longer lengths available upon request
- Enables any device to become a modular Distribution Asset
- Supplied with 1/2" connector and locknut


LISTINGS

- UL Std. 1286
- UL Std. 183
- CSA/NRTL

APPLICABLE CODES

Power Whip Cables must be installed by a licensed electrician in accordance with the NEC, CEC and local electrical codes.

CABLE DIMENSIONS & SPECIFICATIONS



EXTENDER

4/2/2 System - 4 circuits

3/3/2 System - 3 circuits