

zone distribution BOX(PM)

The Spider Zone Distribution Box is the place where agility in your power system becomes a reality. As the transition point from home run cabling into easily reconfigurable modular power distribution components, the Zone Distribution Box introduces 'Plug & Play' power into each location of your space. Adjusting to initial design and future demands, the Spider Zone Distribution Boxes can be easily reconfigured at any time without losing certification. Every box is the same for easy asset management and provides ample room for working inside. The Spider box is designed to provide a home for other technologies such as data and security systems. 4 port box construction provides up to 8 circuits with a shared neutral 422 configuration and up to 6 circuits with an independent neutral 332 configuration. Spider Zone Distribution provides modular agility in either floor or ceiling applications.



Integrates with:



GENERAL SPECIFICATIONS

- 20 Amp 120V/208Y 60Hz
- 16 gauge galvanized steel construction with 1/2" (12mm) and 3/4" (19mm) knockouts
- Zone Distribution Box supplied by Spider, installed by a licensed electrician
- Zone boxes are also available in a design/build configuration
- Modular assemblies are pre-wired to terminal blocks according to specified configurations. The following are available:
 - Up to 8 circuit distribution with shared neutral 422
 - Up to 6 circuit distribution with independent neutral 332
- 8 circuit system provides 12 AWG phase conductors / 10 AWG neutral conductors / 12 AWG ground conductors
- 6 circuit system provides 12 AWG phase conductors / 12 AWG neutral conductors / 12 AWG ground conductors


LISTINGS

- UL listed. Manufactured wiring system per UL 183. CSA Certified to CSA standard C22.2 No.203-M
- Also listed to UL 514A
- All Spider components are tested at manufacturing facility

APPLICABLE CODES

Zone Distribution Boxes must be installed by a licensed electrician in accordance with the NEC, CEC and local electrical codes.

BOX DIMENSIONS & SPECIFICATIONS



4 CONNECTOR ZONE DISTRIBUTION BOX

3 - 8 pin connectors

- Up to 8 circuit 422 system
- Up to 6 circuit 332 system